

Date _____

Student Name _____

ALL Charity - Part 2

Answers

Instructions: This examination contains 10 questions. You must answer 100% correctly in order to pass this examination. Please answer all questions below by circling or writing the correct answer(s).

1. A patient at risk for falls will have all of the following except:

A	Yellow socks
B	Pink bracelet
C	Fall risk sign outside patient door
D	Yellow bracelet

2. Write the correct system-wide life safety code next to its meaning:

Black	Severe Weather
Pink	Infant/Child Abduction
Yellow	Bomb Threat
Gray	Security/Behavioral Emergency
Silver	Person with a weapon or hostage
Brain STAT	Stroke protocol initiated
Code H	Hemorrhage
Heart STAT	Chest pain protocol initiated
Rapid Response	Urgent medical assistance

Date _____

Student Name _____

3. What is the correct sequence for responding to an active shooter?

1. Evacuate

2. Hide Out

3. Take Action

4. Write the correct system-wide life safety code next to its meaning:

HICS	Disaster plan activated
Red	Fire
Green	Evacuation
Blue	Cardio-pulmonary arrest
White	Pediatric cardio-pulmonary arrest
Orange	Hazardous materials incident
Brown (Mr. or Mrs.)	Adult patient missing or elopement
Triage	Multiple casualty incident
Trauma	ED trauma team activated

5. A person experiencing a stroke will exhibit the following (select all that apply):

A	Sudden numbness or weakness of the face, arm or leg
B	Sudden severe headache
C	Sudden chest pain
D	Sudden confusion or trouble speaking

Date _____

Student Name _____

6. A person experiencing a heart attack will exhibit the following (select all that apply):

A	Pain or discomfort in the chest
B	Jaw, neck or back pain
C	Trouble seeing in one or both eyes
D	Discomfort or pain in the arm or shoulder

7. Medical waste for red bag disposal includes all of the following except:

A	Empty urinary collection bag
B	Any waste materials containing infectious agents
C	Containers with free flowing blood and materials saturated with flowing blood
D	Tissues, organs, body parts & body fluids removed during surgery, autopsy or other medical procedures

8. When is soap and water preferred over the use of alcohol-based waterless products for handwashing? (select all that apply)

A	When hands are visibly soiled
B	If patient has C. difficile
C	Alcohol-based waterless products are an effective means of hand hygiene for every patient encounter
D	After contact with any contagious patient

Date _____

Student Name _____

9. What are the two patient identifiers utilized throughout the Charity system?

A	Name and medical record number
B	Date of birth and medical record number
C	Name and date of birth
D	All of the above

10. Select the signs of potential workplace violence: (select all that apply)

A	Increased use of alcohol and/or illegal drugs
B	Depression/withdrawal
C	Increased severe mood swings and noticeably unstable or emotional responses
D	Unexplained increase in absenteeism and/or vague physical complaints

11. Select the risk factors for work related injuries (select all that apply):

A	Excessive reaching
B	Awkward posture/positioning
C	Not wearing supportive shoes
D	Under-exertion

Date _____

Student Name _____

12. Select the waste product that would be placed in the red bag for disposal:

A	A dressing with dried blood
B	An empty urinary catheter bag
C	A dressing saturated with blood
D	Adult incontinence products