

Date \_\_\_\_\_

Student Name \_\_\_\_\_

## ALL Charity - Part 2 Questions

**Instructions:** This examination contains 10 questions. You must answer 100% correctly in order to pass this examination. Please answer all questions below by circling or writing the correct answer(s).

**1. A patient at risk for falls will have all of the following except:**

A	Yellow socks
B	Pink bracelet
C	Fall risk sign outside patient door
D	Yellow bracelet

**2. Write the correct system-wide life safety code next to its meaning:**

	Severe Weather
	Infant/Child Abduction
	Bomb Threat
	Security/Behavioral Emergency
	Person with a weapon or hostage
	Stroke protocol initiated
	Hemorrhage
	Chest pain protocol initiated
	Urgent medical assistance

Date \_\_\_\_\_

Student Name \_\_\_\_\_

**3. What is the correct sequence for responding to an active shooter?**

1.

---

2.

---

3.

**4. Write the correct system-wide life safety code next to its meaning:**

	Disaster plan activated
	Fire
	Evacuation
	Cardio-pulmonary arrest
	Pediatric cardio-pulmonary arrest
	Hazardous materials incident
	Adult patient missing or elopement
	Multiple casualty incident
	ED trauma team activated

**5. A person experiencing a stroke will exhibit the following (select all that apply):**

A	Sudden numbness or weakness of the face, arm or leg
B	Sudden severe headache
C	Sudden chest pain
D	Sudden confusion or trouble speaking

Date \_\_\_\_\_

Student Name \_\_\_\_\_

**6. A person experiencing a heart attack will exhibit the following (select all that apply):**

A	Pain or discomfort in the chest
B	Jaw, neck or back pain
C	Trouble seeing in one or both eyes
D	Discomfort or pain in the arm or shoulder

**7. Medical waste for red bag disposal includes all of the following except:**

A	Empty urinary collection bag
B	Any waste materials containing infectious agents
C	Containers with free flowing blood and materials saturated with flowing blood
D	Tissues, organs, body parts & body fluids removed during surgery, autopsy or other medical procedures

**8. When is soap and water preferred over the use of alcohol-based waterless products for handwashing? (select all that apply)**

A	When hands are visibly soiled
B	If patient has <i>C. difficile</i>
C	Alcohol-based waterless products are an effective means of hand hygiene for every patient encounter
D	After contact with any contagious patient

Date \_\_\_\_\_

Student Name \_\_\_\_\_

**9. What are the two patient identifiers utilized throughout the Charity system?**

A	Name and medical record number
B	Date of birth and medical record number
C	Name and date of birth
D	All of the above

**10. Select the signs of potential workplace violence: (select all that apply)**

A	Increased use of alcohol and/or illegal drugs
B	Depression/withdrawal
C	Increased severe mood swings and noticeably unstable or emotional responses
D	Unexplained increase in absenteeism and/or vague physical complaints

**11. Select the risk factors for work related injuries (select all that apply):**

A	Excessive reaching
B	Awkward posture/positioning
C	Not wearing supportive shoes
D	Under-exertion

Date \_\_\_\_\_

Student Name \_\_\_\_\_

**12. Select the waste product that would be placed in the red bag for disposal:**

A	A dressing with dried blood
B	An empty urinary catheter bag
C	A dressing saturated with blood
D	Adult incontinence products